



17 inch monitor metal

Item number: 17HD7M

This 17 inch Full HD monitor delivers best-in-class picture quality with excellent 178° viewing angles. The 17 inch monitor has a sturdy metal housing and is ideal for desktop, flush and wall mounting. The 17HD7M can be connected via HDMI, VGA, BNC or RCA connections.

- ✓ 1920 x 1080 resolution (Full HD)
- ✓ Input: HDMI, VGA, BNC and RCA
- ✓ Desktop, flush and wall mountable
- ✓ 422 x 259 x 38 mm



GENERAL

Manufacturer	Beetronics
Item number	17HD7M
Product name	17 inch monitor metal
Warranty	2 years

PANEL

Type	Matte, LED-IPS
Screen diagonal	17.3 inches (439 mm)
Aspect ratio	16:9 (4:3 adjustable)
Native resolution	1920 x 1080
Supported resolutions	1920 x 1080 (max), 640 x 480 (min)
Pixels per inch	128 PPI
Viewing angle	178° horizontal, 178° vertical
Colour encoding system	PAL/NTSC/SECAM
Brightness	300 cd/m2
Contrast	700:1

CONNECTIVITY

HDMI	✓ 1x
VGA	✓ 1x
BNC (CVBS)	✓ 1x
RCA video	✓ 1x
AUX input	✓ 1x
AUX output	✓ 1x
USB	✓ 1x (MP4, AVI, MKV, MOV, MPG, MP3, WMA, JPG, JPEG, PNG)

SIZE & WEIGHT

Colour	Black
Weight	3900 gram (4672 gram with stand)
Width	422 mm
Height	259 mm (+0 to 32 mm with stand)
Thickness	38 mm
Display dimensions	388 x 218 mm

FEATURES AND FUNCTIONS

Audio	Integrated speakers
Key-lock	The control buttons can be blocked
Auto-on	Automatically powers on when it receives current or a signal
Dimmable	Adjustable backlight brightness
Mirroring	Image can be mirrored, horizontally and vertically

POWER

Input voltage	DC 9-33V
Power supply	Input: 110-240V ~ 50/60Hz - Output: 12V-2A
Consumption	<15 Watt (0.5 Watt standby)

ENVIRONMENTAL

Operating temperature	-20°C to +60°C
Storage temperature	-20°C to +70°C
Operating humidity	20% - 90% non-condensing

MOUNTING

Wall mount	✓ VESA (100 mm)
Flush mount	✓ Mounting strips included
Stand	✓ Adjustable and detachable

CERTIFICATIONS & STANDARDS

Certifications	CE, FCC, RoHS, REACH
----------------	----------------------

PACKAGE CONTENT

Includes	Monitor, Stand, Remote control, Mounting strips, Mains adaptor, Manual
----------	--



